

IFW

Attorney's Docket: 061063-0305323
Client Reference: OSP-14386

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:
NAMIKI

Confirmation Number: 6856

Application No.: 10/629,646

Group Art Unit: 2877

Filed: July 30, 2003

Examiner: Merlino, Amanda H.

For: FOCAL LENGTH MEASURING DEVICE

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT/RESPONSE TRANSMITTAL

Transmitted herewith is an amendment/response for this application.

FEES

The fee for claims and extension of time (37 C.F.R. 1.16 and 1.17) has been calculated as shown below:

CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NO. PREVIOUSLY PAID FOR		PRESENT EXTRA		RATE		ADDIT. FEE				
TOTAL		17	–	20	=	0	X \$	50.00	=	\$	0.00	
INDEP.		3	–	3	=	0	X \$	200.00	=	\$	0.00	
FIRST PRESENTATION OF MULTIPLE DEP. CLAIM							+	\$	360.00	=	\$	0.00
TOTAL ADDITIONAL CLAIM FEE									\$	0.00		
GRAND TOTAL									\$	0.00		


NAMIKI - - 10/629,646
Attorney's Docket: 061063-0305323

FEE PAYMENT


Authorization is hereby made to charge the amount of \$0.00 to Deposit Account No. 033975. Charge any additional fees required by this paper or credit any overpayment in the manner authorized above. A duplicate of this paper is attached.

Date: January 5, 2006

PILLSBURY WINTHROP SHAW PITTMAN LLP
P.O. Box 10500
McLean, VA 22102
Tel. No. 703 770.7900
Fax No. 703 770.7901



JOHN P. DARLING
Reg. No. 44482
Tel. No. 703 770.7745



Attorney Docket: 061063-0305323
Client Reference: OSP-14386

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:
NAMIKI

Confirmation Number: 6856

Application No.: 10/629,646

Group Art Unit: 2877

Filed: July 30, 2003

Examiner: Merlino, Amanda H.

Title: FOCAL LENGTH MEASURING DEVICE

AMENDMENT UNDER 37 C.F.R. §1.111

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In reply to the Office Action dated October 6, 2005, please amend the above-identified application as follows:

IN THE DRAWINGS:

Please replace Figure 13 with the attached replacement sheet of such figure.